

Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station>

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Marbled sole (muscle) No.1	Port area of Fukushima Daiichi NPS (Near port entrance)	January 21, 2019	ND(5.1)	ND(5.9)	ND
Marbled sole (muscle) No.2	Port area of Fukushima Daiichi NPS (Near port entrance)	January 22, 2019	ND(5.8)	20	20
Marbled sole (muscle) No.3	Port area of Fukushima Daiichi NPS (Near port entrance)	January 23, 2019	ND(3.9)	6.7	6.7
Marbled sole (muscle) No.4	Port area of Fukushima Daiichi NPS (Near port entrance)	January 28, 2019	ND(5.2)	17	17
Marbled sole (muscle) No.5	Port area of Fukushima Daiichi NPS (Near port entrance)	January 28, 2019	ND(6.0)	22	22
Marbled sole (muscle) No.6	Port area of Fukushima Daiichi NPS (North side in open channel)	January 30, 2019	46	600	646
Marbled sole (muscle) No.7	Port area of Fukushima Daiichi NPS (North side of east breakwater)	January 23, 2019	16	130	146

*When analyzed results are less than detection limits of radioactivity concentrations, the values are showed as "ND." Detection limits of individual nuclides are shown in parenthesis.

*Since April 1, 2012, the baseline is the sum of radioactivity concentrations of Cs-134 and Cs-137, which is 100Bq/kg.